



Hydrogen Peroxide 8-19%

SDS Review Date: 11/16/2022

Page 1 of 14

## SAFETY DATA SHEET

### SECTION 1. IDENTIFICATION

Product identifier used on the label

: **Hydrogen Peroxide 8-19%**

Product Code(s) : Not available.

Recommended use of the chemical and restrictions on use

: Reagent: Chemical intermediate.

Chemical family : Inorganic peroxide solution.

Name, address, and telephone number of the manufacturer: **Borden & Remington Corp**  
Name, address, and telephone number of the supplier: Refer to supplier

63 Water St.  
PO Box 2573  
Fall River, MA, USA  
02722

Supplier's Telephone # : 508-675-0096

24 Hr. Emergency Tel # : Chemtrec 1-800-424-9300 (Within Continental U.S.); Chemtrec 703-527-3887 (Outside U.S.).

### SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

Clear colourless liquid. Odorless.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Hazard classification

Oxidizing Liquid - Category 3

Serious eye damage/eye irritation - Category 1

Specific Target Organ Toxicity, Single Exposure -Category 3 (respiratory) **Label**

elements

Hazard pictogram(s)



Signal Word DANGER!

Hazard statement(s)

May intensify fire; oxidizer.

Causes serious eye damage.

May cause respiratory irritation.

Precautionary statement(s)

Keep away from heat.



**Hydrogen Peroxide 8-19%**

SDS Review Date: 11/16/2022

Page 2 of 14

## SAFETY DATA SHEET

Keep/Store away from clothing and other combustible materials.  
Take any precaution to avoid mixing with combustible materials.  
Keep only in original container.  
Wash thoroughly after handling.  
Wear protective gloves and eye/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

In case of fire: Use water spray or fog to extinguish.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international regulations.

### Other hazards

Other hazards which do not result in classification: Ingestion can cause irritation and corrosive action in the mouth, stomach and digestive tract. May cause mild skin irritation. Solutions may be corrosive to metals.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance

<u>Chemical name</u>	<u>Common name and synonyms</u>	<u>CAS #</u>	<u>Concentration</u>
Hydrogen peroxide	Dihydrogen dioxide	7722-84-1	8.0 - 19.0
Water	H <sub>2</sub> O	7732-18-5	Balance

### SECTION 4. FIRST-AID MEASURES

#### Description of first aid measures

- Ingestion* : Seek immediate medical attention/advice. Do not induce vomiting. Have victim rinse mouth with water, then give one to two glasses of water to drink. Never give anything by mouth to an unconscious person.
- Inhalation* : Immediately remove person to fresh air. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen by qualified medical personnel only. Seek immediate medical attention/advice.
- Skin contact* : Remove/Take off immediately all contaminated clothing. Flush affected skin with gently flowing lukewarm water for at least 30 minutes. Do not rub area of contact. Seek immediate medical attention/advice. Wash contaminated clothing before reuse. Leather and shoes that have been contaminated with the solution may need to be destroyed.
- Eye contact* : Immediately flush eyes thoroughly with running water for at least 20 to 30 minutes. Seek immediate medical attention/advice.

#### Most important symptoms and effects, both acute and delayed

- : May cause severe eye irritation. Symptoms may include redness, pain, tearing and conjunctivitis. May cause respiratory irritation. Symptoms include coughing, shortness of breath and wheezing. Ingestion can cause irritation and corrosive action in the mouth, stomach and digestive tract. May cause mild skin irritation. Redness, swelling, itching and dryness.

#### Indication of any immediate medical attention and special treatment

needed : Treat symptomatically.



Hydrogen Peroxide 8-19%

SDS Review Date: 11/16/2022

Page 3 of 14

## SAFETY DATA SHEET

### SECTION 5. FIRE-FIGHTING MEASURES

#### Extinguishing media

##### *Suitable extinguishing media*

: Fires should be flooded with large amounts of water. Avoiding using other types of extinguishing materials, such as foam or dry chemicals.

##### *Unsuitable extinguishing media*

: Avoid using Carbon dioxide or other similar extinguishing agents as they are not effective in fires involving oxidizers.

#### Special hazards arising from the substance or mixture / Conditions of flammability

: May intensify fire; oxidizer. Substance releases oxygen when heated, which may increase the severity of an existing fire. **Flammability classification (OSHA 29 CFR 1910.106)** : Not flammable.

#### Hazardous combustion products :

Oxygen.

#### Special protective equipment and precautions for firefighters

##### *Protective equipment for fire-fighters*

: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

##### *Special fire-fighting procedures*

: Fight fires from a safe distance. Evacuate personnel to safe areas. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. A full-body chemical resistant suit should be worn. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

: All persons dealing with clean-up should wear the appropriate protective equipment including self-contained breathing apparatus. Keep all other personnel upwind and away from the spill/release. Restrict access to area until completion of clean-up. Refer to protective measures listed in sections 7 and 8.

#### Environmental precautions

: Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. For large spills, dike the area to prevent spreading.

#### Methods and material for containment and cleaning up

: Ventilate area of release. Remove all sources of ignition. Stop leak if you can do so without risk. Dike for water control. Contain and absorb spilled liquid with noncombustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13). Contact the proper local authorities.

#### Special spill response procedures

: If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8802).  
US CERCLA Reportable quantity (RQ): None reportable.

### SECTION 7. HANDLING AND STORAGE

#### Precautions for safe handling

: Use in a well-ventilated area. Wear chemically resistant protective equipment during handling. Avoid breathing vapour or mist. Avoid contact with skin, eyes and clothing. Keep away from heat and sources of ignition. Keep away from combustible material.



Hydrogen Peroxide 8-19%

SDS Review Date: 11/16/2022

Page 4 of 14

## SAFETY DATA SHEET

Ground all equipment during handling. . Never return contaminated material to its original container. Label containers appropriately. Wash thoroughly after handling.

Keep containers closed when not in use.

**Conditions for safe storage** : Store in a cool, dry, well-ventilated area. Store away from incompatibles and out of direct sunlight. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. No smoking in the area. Store in corrosion-resistant containers. Store in vented containers. Do not store on wooden pallets. Protect from sunlight.

**Incompatible materials** : Combustible materials.: Nitric acid: Organic materials: Metals: Reducing agents: Potassium Pentaborate Tetrahydrate.

### SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Exposure Limits:

<u>Chemical Name</u>	<u>OSHA PEL</u>			
	<u>ACGIH TLV</u>		<u>PEL</u>	
	<u>TWA</u>	<u>STEL</u>	<u>PEL</u>	<u>STEL</u>
Hydrogen peroxide	1 ppm	N/Av	1 ppm ; 1.4 mg/m <sup>3</sup>	N/Av
Water	N/Av	N/Av	N/Av	N/Av

#### Exposure controls

##### Ventilation and engineering measures

: Provide exhaust ventilation or other engineering controls to keep the airborne concentration of vapours below their respective threshold limit value. Use explosionproof equipment.

##### Respiratory protection

: Respiratory protection is required if the concentrations exceed the TLV. Wear a positive-pressure supplied-air respirator. Advice should be sought from respiratory protection specialists. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134) or CSA Z94.4-02.

##### Skin protection

: Impervious gloves must be worn when using this product. Wear impervious gloves, such as butyl rubber. The suitability for a specific workplace should be discussed with the producers of the protective gloves.

##### Eye / face protection

: Chemical splash goggles are recommended. A full face shield may also be necessary.

##### Other protective equipment

: Full protective flameproof clothing. Wear chemically protective gloves (impervious), boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. An eyewash station and safety shower should be made available in the immediate working area. Other equipment may be required depending on workplace standards.

##### General hygiene considerations

: Avoid breathing vapour or mist. Avoid contact with skin, eyes and clothing. Do not eat, drink, smoke or use cosmetics while working with this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it thoroughly before reuse.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** : Clear colourless liquid.  
**Odour** : Odorless  
**Odour threshold** : N/Av



Hydrogen Peroxide 8-19%

SDS Review Date: 11/16/2022

Page 5 of 14

## SAFETY DATA SHEET

pH : 5-6  
Melting/Freezing point : Not available.  
Initial boiling point and boiling range : 100°C (212°F)  
Flash point : N/Ap  
Flashpoint (Method) : N/Ap  
Evaporation rate (BuAe = 1) : > 1  
Flammability (solid, gas) : Not applicable.  
Lower flammable limit (% by vol.) : N/Ap  
Upper flammable limit (% by vol.) : N/Ap  
Oxidizing properties : Strong oxidizer which will promote combustion. Will accelerate combustion and increase the risk of fire and explosion in combustible or flammable materials.  
Explosive properties : May be reactive and decompose violently.  
Vapour pressure : 22 mmHG @ 30°C  
Vapour density : N/Av  
Relative density / Specific gravity : 1.0  
Solubility in water : Soluble  
Other solubility(ies) : Not available.  
Partition coefficient: n-octanol/water or Coefficient of water/oil distribution : N/Av  
Auto-ignition temperature : N/Av  
Decomposition temperature : 150-152°C  
Viscosity : N/Av  
Volatiles (% by weight) : N/Av  
Volatile organic Compounds (VOC's) : N/Av  
Absolute pressure of container : N/Ap  
Flame projection length : N/Ap  
**Other physical/chemical comments**  
: None known or reported by the manufacturer.

### SECTION 10. STABILITY AND REACTIVITY

**Reactivity** : Reacts vigorously, violently or explosively with many organic and inorganic chemicals, such as strong acids, acid chlorides, acid anhydrides, ketones, glycols, and organic peroxides.  
**Chemical stability** : Dangerously reactive material. Stability depends upon many factors including temperature, pH, and the presence of impurities. Solutions that are completely free of contamination are relatively stable. May decompose violently if impurities are present.  
**Possibility of hazardous reactions** : No dangerous reaction known under conditions of normal use.  
**Conditions to avoid** : Avoid heat and open flame. Ensure adequate ventilation, especially in confined areas. Avoid contact with incompatible materials. Do not keep container sealed. Keep out of direct sunlight. Keep away from combustible material.  
**Incompatible materials** : Combustible materials.: Nitric acid: Organic materials: Metals: Reducing agents: Potassium Pentaborate Tetrahydrate. **Hazardous**  
**decomposition products** : None known, refer to hazardous combustion products in Section 5.



Hydrogen Peroxide 8-19%

SDS Review Date: 11/16/2022

Page 6 of 14

## SAFETY DATA SHEET

### SECTION 11. TOXICOLOGICAL INFORMATION

**Information on likely routes of exposure:**

Routes of entry inhalation : YES

Routes of entry skin & eye : YES Routes of entry Ingestion : YES Routes of exposure skin absorption : NO

**Potential Health Effects:**

**Signs and symptoms of short-term (acute) exposure**

*Sign and symptoms Inhalation*

: If product is heated or mists are formed, inhalation may cause irritation to the nose, throat and respiratory tract. Symptoms may include coughing, choking and wheezing. Inhalation of extremely high concentrations could cause pulmonary edema (fluid accumulation). Symptoms of pulmonary edema (chest pain, shortness of breath) may be delayed.

*Sign and symptoms ingestion*

: May cause severe irritation and corrosive damage in the mouth, throat and stomach. Symptoms may include abdominal pain, nausea, vomiting, diarrhea and collapse.

*Sign and symptoms skin*

: Direct skin contact may cause slight or mild, transient irritation.

*Sign and symptoms eyes*

: Chemical burns, corneal damage, and possibly blindness can result from direct contact.

**Potential Chronic Health Effects**

: None known or reported by the manufacturer.

**Mutagenicity**

: Not expected to be mutagenic in humans.

**Carcinogenicity**

: This material is not classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Contains the following chemicals listed as confirmed animal carcinogens (A3) by ACGIH: Hydrogen peroxide .

**Reproductive effects & Teratogenicity**

: Not expected to have other reproductive effects.

**Sensitization to material** : Not expected to be a skin or respiratory sensitizer. **Specific target**

**organ effects** :

This material is not classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Classification: Specific Target Organ Toxicity, Single Exposure -Category 3 (respiratory) May cause respiratory irritation.

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**Medical conditions aggravated by overexposure**

: Pre-existing skin, eye and respiratory disorders.

**Synergistic materials**

: Not available.

**Toxicological data**

: There is no available data for the product itself, only for the ingredients. See below for individual ingredient acute toxicity data. The calculated ATE values for this mixture are: ATE oral = 6278.96 mg/kg

	<b>LC<sub>50</sub>(4hr)</b>	<b>LD<sub>50</sub></b>
--	-----------------------------	------------------------



Hydrogen Peroxide 8-19%

SDS Review Date: 11/16/2022

Page 7 of 14

### SAFETY DATA SHEET

<u>Chemical name</u>	<u>inh, rat</u>	<u>(Oral, rat)</u>	<u>(Rabbit, dermal)</u>
Hydrogen peroxide	0.17 mg/L 4 h (no deaths)	1193 mg/kg	>2000 mg/kg
Water	N/Av	>90 mL/kg	N/Av

**Other important toxicological hazards**

: None known or reported by the manufacturer.

#### SECTION 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

: May be toxic to aquatic life with long lasting effects. See the following tables for the substance's ecotoxicity data. Do not allow material to contaminate ground water system.

**Ecotoxicity data:**

<u>Ingredients</u>	CAS No	Toxicity to Fish		
		LC50 / 96h	NOEC / 21 day	M Factor
Hydrogen peroxide	7722-84-1	16.4mg/L (Fathead minnow)	N/Av	None.
Water	7732-18-5	No information available.	No information available.	Not applicable.

<u>Ingredients</u>	CAS No	Toxicity to Daphnia		
		EC50 / 48h	NOEC / 21 day	M Factor
Hydrogen peroxide	7722-84-1	2.4mg/L Water flea	N/Av	None.
Water	7732-18-5	No information available.	No information available.	Not applicable.

<u>Ingredients</u>	CAS No	Toxicity to Algae		
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor
Hydrogen peroxide	7722-84-1	N/Av	0.63 mg/L (Green algae)	None.
Water	7732-18-5	No information available.	No information available.	Not applicable.



**Hydrogen Peroxide 8-19%**

SDS Review Date: 11/16/2022

**SAFETY DATA SHEET**

**Persistence and degradability**

: Biodegradation is not applicable to inorganic materials.

**Bioaccumulation potential**

: No data is available on the product itself.

<u>Components</u>	<u>Partition coefficient n-octanol/water (log Kow)</u>	<u>Bioconcentration factor (BCF)</u>
Hydrogen peroxide (CAS 7722-84-1)	1.50	no bioaccumulation
Water (CAS 7732-18-5)	N/Ap	

**Mobility in soil** : No data is available on the product itself. **Other**

**Adverse Environmental effects** : No data is available on the product itself.

**SECTION 13. DISPOSAL CONSIDERATIONS**

**Handling for Disposal**

: Handle waste according to recommendations in Section 7. Empty containers retain residue (liquid and/or vapour) and can be dangerous. Do not cut, weld, drill or grind on or near this container.

**Methods of Disposal**

: Dispose in accordance with all applicable federal, state, provincial and local regulations.

**RCRA**

: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.

**SECTION 14. TRANSPORTATION INFORMATION**

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
49CFR/DOT	UN2984	HYDROGEN PEROXIDE, AQUEOUS SOLUTION	5.1	III	
<b>49CFR/DOT Additional information</b>	May be shipped exceeding 30 kg	as a Limited Quantity when transported in containers no larger than (66 pounds) gross mass.	in 5 L (1.3 gallons)	(1.3s); in packages not	
TDG	UN2984	HYDROGEN PEROXIDE, AQUEOUS SOLUTION	5.1	III	
<b>TDG Additional information</b>	For shipments in containers which	ground within Canada, the Limited Quantity / Consumer commodity exemption may apply. Refer to TDG Section 1.17 f		may apply	





Hydrogen Peroxide 8-19%

SDS Review Date: 11/16/2022

**SAFETY DATA SHEET**

ICAO/IATA	UN2984	Hydrogen peroxide, aqueous solution	5.1	III	
<b>ICAO/IATA Additional information</b>	Refer to ICAO/IA	to TA Packing Instruction			
IMDG	UN2984	HYDROGEN PEROXIDE, AQUEOUS SOLUTION	5.1	III	
<b>IMDG Additional information</b>	May be shipped as Limited Quantity, consult the IMDG regulations for details.				
TDG	UN2984	HYDROGEN PEROXIDE, AQUEOUS SOLUTION	5.1	III	
<b>TDG Additional information</b>	May be shipped as a Limited Quantity when transported in containers not larger than 5 L (1.3 gallons); in packages not exceeding 30 kg (66 pounds) gross mass.				
49CFR/DOT	UN2984	HYDROGEN PEROXIDE, AQUEOUS SOLUTION	5.1	III	
<b>49CFR/DOT Additional information</b>	Consult CFR	49 part 152 for exceptions.			
ICAO/IATA	UN2984	Hydrogen peroxide, aqueous solution	5.1	III	
<b>ICAO/IATA Additional information</b>	Refer to ICAO/IA	to TA Packing Instruction .			
IMDG	UN2984	HYDROGEN PEROXIDE, AQUEOUS SOLUTION	5.1	III	
<b>IMDG Additional information</b>	Consult the IMDG regulations for exceptions.				

**Special precautions for user** : Keep away from flames and hot surfaces. - No smoking.

**Environmental hazards** : See ECOLOGICAL INFORMATION, Section 12.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

: This information is not available.



**Hydrogen Peroxide 8-19%**

SDS Review Date: 11/16/2022

Page 10 of 14

**SAFETY DATA SHEET**

**SECTION 15 - REGULATORY INFORMATION**

**US Federal Information:**

Components listed below are present on the following U.S. Federal chemical lists:

Ingredients	CAS #	TSCA Inventory	CERCLA Reportable Quantity(RQ) (40 CFR 117.302):	SARA TITLE III: Sec. 302, Extremely Hazardous Substance, 40 CFR 355:	SARA TITLE III: Section 302, Extremely Hazardous Substance, 40 CFR 355:	
					Toxic Chemical	de minimus Concentration
Hydrogen peroxide	7722-84-1	Yes	N/Ap	1000 lb TPQ (concentration >52%)	No	N/Ap
Water	7732-18-5	Yes	N/Ap	N/Av	No	N/Ap

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Immediate (Acute) health hazard ; Oxidizing liquid ; Reactive hazard . Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds for the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

**US State Right to Know Laws:**

The following chemicals are specifically listed by individual States:

Ingredients	CAS #	California Proposition 65		State "Right to Know" Lists					
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Hydrogen peroxide	7722-84-1	No	N/Ap	Yes	Yes	Yes	Yes	Yes	Yes
Water	7732-18-5	No	N/Ap	No	No	No	No	No	No

**Canadian Information:**

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

Canadian WHMIS Classification: Refer to Section 2 for a WHMIS Classification for this product. **International**

**Information:**

Components listed below are present on the following International Inventory list:

Ingredients	CAS #	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KEC/KECL	China IECSC	NewZealand IOC
Hydrogen peroxide	7722-84-1	231-765-0	Present	Present	(1)-419	KE-20204	Present	HSR001326, HSR001449, HSR001450 (dilution)
Water	7732-18-5	231-791-2	Present	Listed	Listed	KE-35400	Present	Listed

**SECTION 16. OTHER INFORMATION**

**Legend**

: ACGIH: American Conference of Governmental Industrial Hygienists  
CA: California  
CAS: Chemical Abstract Services  
CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980



Borden & Remington Corp  
63 Water St. PO Box 2573  
Fall River, MA, USA, 02722  
Telephone: (508) 675 0096

---

Hydrogen Peroxide 8-19%

SDS Review Date: 11/16/2022

Page 11 of 14

## SAFETY DATA SHEET

CFR: Code of Federal Regulations  
CSA: Canadian Standards Association  
DOT: Department of Transportation  
HMIS: Hazardous Materials Identification System  
HSDB: Hazardous Substances Data Bank  
IARC: International Agency for Research on Cancer  
Inh: Inhalation  
LC: Lethal Concentration  
LD: Lethal Dose  
MA: Massachusetts  
MN: Minnesota  
N/Ap: Not Applicable  
N/Av: Not Available  
NFPA: National Fire Protection Association  
NIOSH: National Institute of Occupational Safety and Health  
NJ: New Jersey  
NTP: National Toxicology Program  
OSHA: Occupational Safety and Health Administration  
PA: Pennsylvania



Borden & Remington Corp  
63 Water St. PO Box 2573  
Fall River, MA, USA, 02722  
Telephone: (508) 675 0096

## SAFETY DATA SHEET

PEL: Permissible exposure limit  
RCRA: Resource Conservation and Recovery Act  
RI: Rhode Island  
RTECS: Registry of Toxic Effects of Chemical Substances SARA:  
Superfund Amendments and Reauthorization Act  
STEL: Short Term Exposure Limit  
TDG: Canadian Transportation of Dangerous Goods Act & Regulations  
TLV: Threshold Limit Values  
TWA: Time Weighted Average  
WHMIS: Workplace Hazardous Materials Identification System

**References** : Canadian Centre for Occupational Health and Safety, CCInfoWeb Databases, 2015  
(Chempendium, RTECs, HSDB, INCHEM). 2015  
European Chemicals Agency, Classification Legislation, 2015 Material Safety  
Data Sheet from manufacturer.  
OECD: Organisation for Economic Co-operation and Development 2015 Review

**Date (mm/dd/yyyy)**

: 11/16/2022

**Other special considerations for handling**

: Provide adequate information, instruction and training for operators.




**Hydrogen Peroxide 8-19%**

**SDS Preparation Date (mm/dd/yyyy): 09/30/2015**

Page 11 of 11

**SAFETY DATA SHEET**

<p><b>Prepared for:</b> Borden &amp; Remington Corp 63 Water St. Fall River, MA 02722 Telephone: 508-675-0096</p>	
<p><b>Prepared by:</b> ICC The Compliance Center Inc. Telephone: (888) 442-9628 (U.S.); (888) 977-4834 (Canada) <a href="http://www.thecompliancecenter.com">http://www.thecompliancecenter.com</a></p>	

**DISCLAIMER**

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by Borden & Remington Corp. and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Borden & Remington Corp expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Borden & Remington Corp.



Borden & Remington Corp  
63 Water St. PO Box 2573  
Fall River, MA, USA, 02722  
Telephone: (508) 675 0096

---

**END OF DOCUMENT**